

...

Timer Tip Tuesday

Race Result Integration with RunSignup

James Harris



Agenda

01

Results Publishing from RACE RESULT

Review & Discussion on the Results
Integration

02

DEMO

03

BI-DIRECTIONAL REGISTRATION SYNC

Review syncing best practices

 RunSignup

RACE  RESULT



RACE RESULT-RunSignup Results

RACE RESULT to RunSignup
Terminology Review

 RunSignup

RACE  RESULT

•• RACE RESULT Listing → RunSignup Result Set

- A RACE RESULT **Listing** maps to a RunSignup **Result Set**
- New Results Mapping Area on RunSignup External Partners - RACE RESULT Dashboard

Advanced Configuration

Mapping Setup Contests Sync Fields Results Sync Times

Save Refresh ↻ Results

RACERESULT Result Mapping is a beta feature. Contact support at raceday@runsignup.com to enable.

RACE RESULT Contest

Select a contest ▼

Add

RACE RESULT Field → RunSignup “Place”

- A RACE RESULT **Listing Field** Maps to the RunSignup **“Place”** value for that result set.
- Select the field in the RACE RESULT Listing that drives the overall place value for the result set.
- Very Dynamic capability to drive result sets based on your RACE RESULT scoring configuration.

RACE RESULT CONTEST
5K

Remove

Listing Name
Result Lists|Overall Results

Result Set Name
5K Overall Results

Pace Type
Min/Mile

Listing Place Column
Place (WithStatus([OverallRank]))

Select a field...

- Bib (Bib)
- Place (WithStatus([OverallRank]))**
- Name (DisplayName)
- ChipTime (FINISH.Chip)
- GunTime (FINISH.Gun)
- Age (Age)
- Gender (GenderMF)
- AG (AgeGroup.Name)
- AG Place (WithStatus(AgeGroupRank))
- Club (Club)
- Pace (Finish.Pace)
- RSUParticipantId (RSUParticipantId)
- Gender Place (WithStatus(GenderRank))
- Split-1 Time (SPLIT1.Chip)
- Split-1 Pace (SPLIT1.Pace)
- Split-1 Place (SPLIT1.Overall)
- Split-2 Time (SPLIT2.Chip)
- Split-2 Pace (SPLIT2.Pace)
- Split-2 Place (SPLIT2.Overall)

Add

● RACE RESULT Ranking → RunSignup Division

- RACE RESULT **Rankings** map to RunSignup **Divisions**
- Select the RACE RESULT Rankings that will result in RunSignup Divisions

Rankings to Publish

Select the rankings you want to publish for this result mapping.

Select a ranking

Ranking	Number of Winners	Display Name	Gender Specific Divisions	
AgeGroupRank	<input type="text" value="5"/>	<input type="text" value="Age Place"/>	<input type="checkbox"/>	<input type="button" value="Remove"/>
GenderRank	<input type="text" value="5"/>	<input type="text" value="Gender Place"/>	<input checked="" type="checkbox"/>	<input type="button" value="Remove"/>

Rankings to Publish

Select the rankings you want to publish for this result mapping.

Select a ranking

Ranking	Number of Winners	Display Name	Gender Specific Divisions	
AgeGroupRank	<input type="text" value="5"/>	<input type="text" value="Age Place"/>	<input type="checkbox"/>	<input type="button" value="Remove"/>
GenderRank	<input type="text" value="5"/>	<input type="text" value="Gender Place"/>	<input checked="" type="checkbox"/>	<input type="button" value="Remove"/>

• RACE RESULT Fields → RunSignup Custom Fields

- RACE RESULT Listing Fields map to RunSignup Custom Fields if NOT a Standard Field Mapping to RunSignup (see below).
- All **non standard** fields will be automatically created as RunSignup Custom Result fields.

RACE RESULT → RunSignup Standard Fields

```
[listingPlaceFieldExpression] = "race_placement",  
["Bib"] = "bib_num",  
["DisplayName"] = "name",  
["GenderMF"] = "gender",  
["Finish.Pace"] = "avg_pace",  
["Finish.Chip"] = "chip_time",  
["Finish.Gun"] = "clpck_time",  
["Age"] = "age",  
["AgeGroup.Name"] = "division",  
["AgeGroupRank"] = "division_place",  
// internal special mapping field  
["RSUParticipantId"] = "registration_id",
```

FIELDS/COLUMNS		
Column Heading		Data
Bib	EN	Bib
Place	EN	WithStatus([OverallRank])
Name	EN	DisplayName
ChipTime	EN	Finish.Chip
GunTime	EN	Finish.Gun
Age	EN	Age
Gender	EN	GenderMF
AG	EN	AgeGroup.Name
AG Place	EN	WithStatus(AgeGroupRank)
Club	EN	Club
Pace	EN	Finish.Pace
RSUParticipantId	EN	RSUParticipantId
Gender Place	EN	WithStatus(GenderRank)
	EN	



RACE RESULT-RunSignup Results

Publishing Configuration Steps

 RunSignup

RACE  RESULT

Advanced Configuration

Mapping Setup

Save

Refresh 

RACE RESULT Contest

5K

Add

RACE RESULT Contest

5K

Remove

Listing Name

Result Lists|Overall Results

Choose a Listing

Online|Final

Online|Live

Online|Participants

Participants|Address List

Participants|Club Registration List

Participants|Participants List 123

Participants|Participants List ABC

Participants|Random List

Presenter/Announcer|Gender Results

Presenter/Announcer|Gender Results Top5

Result Lists|Age Group Awards

Result Lists|Age Group Results

Result Lists|Gender Awards

Result Lists|Gender Results

Result Lists|Overall Results

Result Lists|Team Results

Result Lists|Team Results M/F

Result Lists|TEST

- Add a mapping from for a given Contest (i.e. mapped to RSU event_id) to a RunSignup Result Set
- Contest + RR Listing == RunSignup Result Set
- We create the RunSignup Result Set

Save Refresh

Results

RACE RESULT Contest

5K

Remove

Listing Name

Result Lists|Overall Results

Result Set Name

5K Overall Results

Pace Type

Min/Mile

Public Results



Results Source Name

Results Source URL

Result Questions Contact Email

james@runsignup.com

Result Questions URL

https://racejoy.com

Preliminary Results



Disable Notifications



Individual Result Set ID

20087

Last Sync Error

Last Sync TS

2026-01-23T19:58:43.6153531Z

Rankings to Publish

Provide the Result Set Meta Data for the Result Set

Setup Rankings to Divisions **IF** you want RunSignup Divisions for Age Groups, Gender, Master Rankings etc. No Need to map OverallRank since that drives the "Place" value for the Result Set.

Rankings to Publish

Select the rankings you want to publish for this result mapping.

GenderRank

Ranking	Number of Winners	Display Name	Gender Specific Divisions	
AgeGroupRank	<input type="text" value="3"/>	<input type="text" value="Age Place"/>	<input type="checkbox"/>	<input type="button" value="Remove"/>
GenderRank	<input type="text" value="3"/>	<input type="text" value="Gender Place"/>	<input checked="" type="checkbox"/>	<input type="button" value="Remove"/>


Place (OverallRank)

Public Results

Results Source Name

Results Source URL

Last Sync TS



Setup Splits mapping **IF** you want
RunSignup Split Notifications

Splits to Publish

Select the splits you want to publish for this result mapping.

Select a split...

Add

Split

SPLIT1

Remove

SPLIT2

Remove

Save

Last Sync Error

Last Sync TS

2026-03-18T14:00:54.9523502Z

Rankings to Publish

Splits to Publish

Contact Email

Setup Sync Times for when results publishing should occur.


Advanced Configuration

Mapping Setup Contests Sync Fields Results Sync Times

Save Refresh



Sync Times

Reg Sync Start	Reg Sync End	Results Sync Start	Results Sync End
2/4/2026	3/27/2026	2/18/2026	3/20/2026
09:20 AM	09:20 AM	12:00 AM	12:15 PM



• Configuration Steps Review

1. Create the RACE RESULT Listing to have the required RunSignup Fields
2. Create the mapping from RACE RESULT Listing to RunSignup Result Set
 - a. Add RACE RESULT Age, Gender Ranking mapping for RunSignup Divisions
 - b. Add Split Mappings for Split Notifications
3. Set Sync Times Interval Period
4. Refresh to see sync every 60 seconds





FAQs

- If something is not mapping correctly when making changes to configurations, just delete the mapping form at RunSignup and we will create a new result set based on your current configuration.
- Split mappings are not required in mapping configuration in order for fields to show in RunSignup Result set, only if result-split notifications are desired.

 RunSignup

RACE  RESULT



No RSUParticipantId NO Mapping!

- RSUParticipantId is the synced RunSignup registration_id and is REQUIRED for RunSignup Results
- You can not map a listing to a RunSignup Result Set without this field detected.

```
[listingPlaceFieldExpression] =  
["Bib"] = "bib_num",  
["DisplayName"] = "name",  
["GenderMF"] = "gender",  
["Finish.Pace"] = "avg_pace",  
["Finish.Chip"] = "chip_time",  
["Finish.Gun"] = "clock_time",  
["Age"] = "age",  
["AgeGroup.Name"] = "division",  
["AgeGroupRank"] = "division_pla  
// internal special mapping field  
["RSUParticipantId"] = "registra
```

Bottom line... If you can get a listing to make a table... a RunSignup result set will be created based on that table.

Linkage between result sets (i.e. Aggregate Team Results) is not supported on this interface. Use RaceDay Scoring for advanced Team Results if needed.

We use the first section of any multi section listing... use contest filtering to create single section listings to map to RunSignup Result Sets for a given RunSignup event.

The screenshot shows a web interface for managing contests. At the top, there is a navigation bar with '<All Contests>', 'View', and 'PDF' options. Below this is a table of fields and their corresponding data types. The 'Pace' section is highlighted in yellow. A red arrow points to the 'Filter' section at the bottom of the interface.

Field	EN	Field
Bib	EN	Bib
Place	EN	WithStatus([OverallRank])
Name	EN	DisplayName
ChipTime	EN	FINISH.Chip
GunTime	EN	FINISH.Gun
Age	EN	Age
Gender	EN	GenderMF
AG	EN	AgeGroup.Name
AG Place	EN	WithStatus(AgeGroupRank)
Club	EN	Club
↕ Pace	EN	Finish.Pace
RSUParticipantId	EN	RSUParticipantId
Gender Place	EN	WithStatus(GenderRank)
Split-1 Time	EN	SPLIT1.Chip
Split-1 Pace	EN	SPLIT1.Pace
Split-1 Place	EN	SPLIT1.Overall
Split-2 Time	EN	SPLIT2.Chip
Split-2 Pace	EN	SPLIT2.Pace
Split-2 Place	EN	SPLIT2.Overall
	EN	

FILTER

Maximum Number of Records Record Multiplier

Conjunction	Field	Operator	Value
	Contest	=	1

..

Let's See it in
Action!




DEMO





Bi-Directional Sync for Registration Data

This is a registration data integration into RACE RESULT 12.



RACE RESULT Event <-> RunSignup Race



Easy Setup of Interfaces

- RACE RESULT Event <-> RunSignup Race

- RACE RESULT

Two Components at RR

1. Provide RunSignupInc User Access to the RR Event
2. Setup Web Hook for RR Changes to Sync Back to RSU

Show of hands... how many use the sync back ?

- RunSignup

1. Enable RR Sync Interface for RSU Race
2. Choose Selected RSU Events to Sync to RR

Since Inception 1653 Races Synced to RACE RESULT


Must Be FIRST!

OPTIONAL IF Not Using RSU Results

Provide Access to RunSignup to your RR Event

RACE RESULT Event <-> RunSignup Race

- Access Rights
 - Add Special User “RunSignupInc”
 - Default permissions shown (used during testing).
- Web Hook (Optional)
 - Add “Participant update” type with URL provided in Setup Page at RSU
 - **DO NOT** add “New Participant” web hook. RSU will get new adds on the Update Web Hook





SYNC INTERFACE & RR OFFLINE EVENTS

- Changes made to participant records when RACE RESULT event is checked out for localhost usage do NOT sync to RunSignup **Unless Online Forwarding is ON.**
- Currently RACE RESULT is not firing WEB HOOK change events for all participant records that were changed when offline and event is checked back in.

Access Rights/Simple API

PARTICIPANT DATA

- Import Participants
- Delete Data
- Data Analysis
- Adapt Data

WEB HOOKS


Using WebHooks the given URL will be called on certain events.

Active	Name	Type	U
<input checked="" type="checkbox"/>	PARTUPDATE	Participant updated	h
<input checked="" type="checkbox"/>		New Participant	



Online Forwarding

Online forwarding is off by default.. If enabled with RunSignup Web Hook, then changes from your offline RR/Kiosk will sync to RunSignup






Enable RACE RESULT on RSU Race

RACE RESULT Event <-> RunSignup Race

- RaceDay Tools -> External Partners -> RACE RESULT
- See “setup instructions” link for all the details of the interface setup including WEB HOOK URL for RR side of configuration.

RACE RESULT Sync

Use this page to manage the sync of registration data for this race between RunSignup and [RACE RESULT](#).

 Before enabling sync, please refer to the [setup instructions](#).

Set Up RACE RESULT Sync

Enable RACE RESULT Sync

Save Changes



Enable RACE RESULT on RSU Race

RACE RESULT Event <-> RunSignup Race

- Enable RACE RESULT Sync
- Enter RR Event ID
- Select Events to Sync to RACE RESULT
 - Events selected will create / match to CONTESTS at RACE RESULT.

Results >
Virtual/Challenge Results >
External Partners >
SHOW MORE ▾
Participants
Reports
Email Marketing
Email V2
Donations

Race Result Sync Settings

Race Result Event ID *

Sync blank bibs
Sync registrations with no bib number

Select Events to Sync

- 5K
- 13.1

RACE RESULT

< Search Participant (F8) 12/25/2024 RaceResult Enable First [275756]

MAIN EVENT SETTINGS

Name
RaceResult Enable First

Date From Date Until

2023-12-12: RACE RESULT Timers Conferences 2024

RACE RESULT
Timers Conferences 2024



RACE RESULT

Contests

RunSignup Event <-> RACE RESULT Contest

The screenshot displays the RACE RESULT 12 web application interface. At the top, there is a red navigation bar with the logo and menu items: Overview, Main Window, Participants, Output, my.raceresult.com, Timing, and Tools. Below the navigation bar is a search bar labeled 'Search Participant (FB)'. On the left side, there is a 'SETTINGS' sidebar with options: Event Settings, Contests (highlighted in red), Participants Data, Age Groups, and Entry Fees. The main content area shows a table of contests with two rows: '1: 5K' and '2: 13.1'. Above the table are 'Delete' and 'Copy' icons. To the right of the table is a 'GENERAL' form with a blue information box that says 'Enter a unique number, the name, length and start time of this contest.' The form has an 'ID' field with the value '1' and a 'Name' field with the value '5K' and a unit dropdown set to 'EN'.

- If contests already exist AND NAME is an exact match... we will use that contest, otherwise we will create contests for each RSU Event Name that is enabled for Sync

••• RunSignup Event <-> RACE RESULT Contest Mapping

We support mapping multiple RunSignup events to the SAME RR Contest under Advanced Configuration

Advanced Configuration



Mapping Setup


Save Refresh

Contest Mapping

You can map RunSignup events to push data to different RACE RESULT contests.
IMPORTANT NOTE: If multiple RunSignup events are mapped to the SAME contest at RACE RESULT, event transfers and adds from RACE RESULT will not be synced back to RunSignup.

Last Sync: Never
Last Error: could not parse file
Clear Error

RunSignup Event	RACE RESULT Contest
5K	5K
13.1	13.1
5K VIP	5K VIP
13.1 VIP	5K





Additional Field Names

*RunSignup Registration Questions, Giveaways,
Corrals, Membership, Fundraiser Fields*

- **IMPORTANT:** Sync of Participant Data is based on Exact Match on RR Additional Field **Name** not based on RACE RESULT IDs for those Fields.
- Two Options for Changing Additional Field Names after Sync Interface is Enabled
 - (1) Update the Field Name Mapping on RunSignup Dashboard page for RACE RESULT
 - (2) Change in RR in the Additional Field Area
 - Updated Names will Sync Back to RSU on the next Sync Cycle.





Option 1: RunSignup Registration Questions, Giveaways, Membership, Fundraiser Fields

Change Names at RSU Additional Fields

- RR Requires Names to be A-Z or 0-9 Characters only, no spaces

Advanced Configuration

Mapping Setup

Contests Sync Fields Results

Save

Refresh ↻

Additional Field Mapping

You can control the name of the Additional Field created at RACE RESULT for each question or membership field from RunSignup.

RunSignup Question/Membership Field	RACE RESULT Additional Field Name	Sync to RACE RESULT
RSUChipNumber	<input type="text" value="Transponder1"/>	<input type="checkbox"/>
RSUTeamName	<input type="text" value="RSUTeamName"/>	<input checked="" type="checkbox"/>
RSUTeamBib	<input type="text" value="RSUTeamBib"/>	<input checked="" type="checkbox"/>
RSUTeamType	<input type="text" value="RSUTeamType"/>	<input checked="" type="checkbox"/>
RSURegistrationDate	<input type="text" value="RSURegistrationDate"/>	<input checked="" type="checkbox"/>
RSUEventName	<input type="text" value="RSUEventName"/>	<input checked="" type="checkbox"/>



Option 2: RACE RESULT Participants Data -> Additional Fields

Change Names at RACE RESULT

- RR Requires Names to be A-Z or 0-9 Characters only, no spaces
- Names will update at RSU on the next Sync Cycle

The screenshot displays the RACE RESULT 12 web application interface. The top navigation bar is red and contains the logo 'RACE RESULT 12' and several menu items: 'Overview', 'Main Window', 'Participants', 'Output', 'my.raceresult.com', 'Timing', and 'Tools'. Below the navigation bar is a search bar labeled 'Search Participant (FB)'. The main content area is divided into three sections. On the left is a 'SETTINGS' sidebar with a dark grey background and white text, listing various settings: 'Event Settings', 'Contests', 'Participants Data' (highlighted in red), 'Age Groups', 'Entry Fees', 'Vouchers', 'Pictures / Files', and 'Email/SMS Templates'. The middle section is a light grey panel with a list of settings categories: 'Bib Numbers', 'Default Fields', 'Additional Fields' (highlighted in red), 'Input Assistance', 'User Defined Fields/Fcts.', and 'Archives'. The right section is a 'New Group' form with a white background and a red header. It contains a table with two columns: 'Type' and 'Name'. The table has five rows, each with a dropdown menu for 'Type' and a text input field for 'Name'. The first row has 'Text Field' and 'RSUParticipantId'. The second row has 'Drop Down' and 'TShirtSize'. The third row has 'Text Field' and 'USATMembershipMembershipNumber' (highlighted in blue). The fourth row has 'Text Field' and 'TeamName'. The fifth row has 'Text Field' and 'TeamBib'. There is also a plus sign icon and a dropdown menu at the bottom of the table.

Type	Name
Text Field	RSUParticipantId
Drop Down	TShirtSize
Text Field	USATMembershipMembershipNumber
Text Field	TeamName
Text Field	TeamBib
Text Field	



RACE RESULT Additional Field “Labels”

RunSignup will only update labels under two use cases:

- Additional Field does not exist at RR for some RSU Custom Question / Membership Field and we are creating an Additional Field at RR
 - Default is the RSU Question or Membership Field “**Label**” from RSU
- User changes the field mapping Additional Field Names on the RSU Dashboard for the next sync cycle. We will update the label to match the new mapping name immediately and RR Timer can then adjust RR labels as desired.

Type	Name	Label	Selection V
Text Field	RSUParticipantId	RSUParticipantId	EN
Text Field	RSUTeamName	Team Name	EN
Text Field	RSUTeamBib	Team Bib	EN
Drop Down	TShirtSize	T-Shirt Size?	EN S;M;XL
Text Field	USATMembershipMembershipNumber	USAT Membership-Membership Number	EN
Text Field			EN






Additional Field that maps RR record to RSU

- The special RR Additional Field "RSUParticipantId" will hold the RunSignup Registration ID for that record.


ADDITIONAL FIELDS

RSUParticipantId
1712417


Registration #1712417




1
Total Events




0
Total Referrals





James11 Harris
[Manage Registration](#)




Event: 13.1
Registrant: James,24 Harris,25 [Profile](#)
Event Date: 12/25/2024
Loyalty: Hasn't run this race yet!
jamesharris@triperta.com



Fundraiser Fields are supported

Advanced Configuration

Save

Refresh 

Additional Field Mapping

RSUIndividualFundraiserName	RSUIndividualFundraiserName	<input type="checkbox"/>
RSUTeamFundraiserName	RSUTeamFundraiserName	<input type="checkbox"/>
RSUIndividualFundraiserID	RSUIndividualFundraiserID	<input type="checkbox"/>
RSUIndividualFundraiserAmountRaised	RSUIndividualFundraiserAmountRaised	<input type="checkbox"/>
RSUIndividualFundraiserNumberDonations	RSUIndividualFundraiserNumberDonations	<input type="checkbox"/>
RSUTeamFundraiserAmountRaised	RSUTeamFundraiserAmountRaised	<input type="checkbox"/>
RSUTeamFundraiserNumberOfMembers	RSUTeamFundraiserNumberOfMembers	<input type="checkbox"/>
RSUTeamFundraiserNumberDonations	RSUTeamFundraiserNumberDonations	<input type="checkbox"/>



RACE RESULT and **Bib Field**

- RACE RESULT requires a Bib Number.
- The Bib Number is unique ID field for RACE RESULT.
- The same Bib Number can **NOT** be used for a participant doing both a 5K and Half Marathon in a RunSignup Race. Work with your race directors to ensure unique Bib Number assignments **ACROSS** events in a RunSignup Race.
- **RACE RESULT will fail the ENTIRE Batch if duplicate BIBs so we programmed to remove subsequent duplicates**
 - **SEE AUTOMATED EMAIL ALERTS to timer that enabled the interface**





Two Options for BIB Assignment

- **Option 1:** DO NOT sync records to RACE RESULT until a Bib Number exists on the RunSignup Participant record.
 - Leave setting “Sync blank bibs” off on the RACE RESULT enablement interface page (Default).
 - Multiple and myriad methods for Bibs to be assigned to participant records in RunSignup:
 - See Dashboard “Bib Assignments” Methods
 - CheckIn App → Dynamic Bib Assignment Syncs
 - Import Bib Updates into RunSignup
 - etc....

RaceJoy >

Results >

Virtual/Challenge Results >

External Partners >

SHOW MORE ▾


Race Result Sync Settings

Race Result Event ID *


Sync blank bibs
Sync registrations with no bib number

Two Options for BIB Assignment

- **Option 2:** Use RACE RESULT “Highest plus 1” assignment.
 - Enable “Sync blank bibs” setting on the RACE RESULT enablement interface page.
 - Our testing for the Import interface of RACE RESULT indicates if no Bib ID then the “Highest plus 1” assignment seems to be the only method used.



The screenshot shows the 'RaceJoy' navigation menu on the left with options: RaceJoy, Results, Virtual/Challenge Results, External Partners, and SHOW MORE. The main content area is titled 'Race Result Sync Settings' and includes a 'Race Result Event ID *' field containing the value '275756'. A green arrow points from the 'Sync blank bibs' checkbox to the event ID field. The 'Sync blank bibs' checkbox is checked, with the subtext 'Sync registrations with no bib number' below it.



The screenshot shows the 'Bib Numbers' section of the interface. On the left, there is a dropdown menu with options: Bib Numbers (highlighted in red), Default Fields, and Additional Fields. On the right, under the heading 'ASSIGNING BIB NUMBERS', the 'Highest plus 1' option is selected with a blue radio button.

RACE RESULT and Contest Changes

- A RACE RESULT contest change is an Event Transfer at RunSignup.
- Contest changes initiated from the RACE RESULT side are supported and result in a Event Transfer at RunSignup.
- Switch Event (i.e. Event Transfer) action at RunSignup results in a new registration record (new id) and a deleted registration record.
- BOTH directions are supported and the RACE RESULT record will get the updated registration id.

The screenshot shows a registration form with two main sections: PERSONAL DATA and EVENT. In the PERSONAL DATA section, the Last Name is 'Harris,26', the First Name is 'James,24', and there are fields for Title and Gender. In the EVENT section, the Contest dropdown menu is open, showing '13.1' as the selected option, with '5K' and '13.1' as other visible options. A Status field is also present below the contest options.

Event: 13.1
Registrant: James,24 Harris,26 [Profile](#)
Event Date: 12/25/2024
Loyalty: Hasn't run this race yet!

-
- ✍ Edit Registration
 - ✉ Email Participant
 - ↻ Switch Event
 - ⇄ Start Participant Transfer
 - ➡ Transfer to Another Race



RACE RESULT and Contest Changes

NOTE: If mapping multiple RunSignup events to SAME RR Contest... then contest changes in RR for those participants will HAVE NO effect at RunSignup

Mapping Setup

Contests

Save Refresh ↻

Contest Mapping

You can map RunSignup events to push data to different RACE RESULT contests.

IMPORTANT NOTE: If multiple RunSignup events are mapped to the SAME contest at RACE RESULT, event transfers and adds from RACE RESULT will not be synced back to RunSignup.

Last Sync: Never

RunSignup Event	RACE RESULT Contest
5K	5K
13.1	13.1
5K.VIP	5K
13.1.VIP	13.1

The table above shows a mapping of RunSignup events to RACE RESULT contests. The '5K.VIP' event is mapped to the '5K' contest, which is highlighted in blue. A green arrow points to the '5K' contest in the dropdown menu for the '5K.VIP' event. Another green arrow points to the '5K' contest in the dropdown menu for the '13.1.VIP' event.



Additional Fields

- We expect RunSignup Custom Questions, Giveaways, Corrals, Membership, Fundraiser Fields to be created automatically when the interface is enabled.
- **IE** a timer setups “Additional Field Names” at RACE RESULT first (or uses a template) and that name exactly matches the name of the RunSignup Custom Question Name, then the sync interface will map to that “existing” RR field on the first sync cycle.





Additional Fields

- Default is Sync Off for RunSignup Custom Questions, Giveaways, Membership, Fundraiser Fields
- Look for Sync Import Failures from RR showing in this area... to help you decide if you need to disable a given field due to data

Mapping Setup Contests Sync Fields

Save Refresh ↻

Additional Field Mapping

You can control the name of the Additional Field created at RACE RESULT for each question or membership field from RunSignup.

RunSignup Question/Membership Field	RACE RESULT Additional Field Name	Sync to RACE RESULT
RSUChipNumber	<input type="text" value="Transponder1"/>	<input type="checkbox"/>
RSUTeamName	<input type="text" value="RSUTeamName"/>	<input checked="" type="checkbox"/>
RSUTeamBib	<input type="text" value="RSUTeamBib"/>	<input checked="" type="checkbox"/>
RSUTeamType	<input type="text" value="RSUTeamType2"/>	<input checked="" type="checkbox"/>
RSURegistrationDate	<input type="text" value="RSURegistrationDate"/>	<input checked="" type="checkbox"/>
RSUEventName	<input type="text" value="RSUEventName"/>	<input checked="" type="checkbox"/>
RSUIsAnonymous	<input type="text" value="RSUIsAnonymous"/>	<input checked="" type="checkbox"/>
RSUCorral	<input type="text" value="RSUCorral"/>	<input checked="" type="checkbox"/>
RSUIndividualFundraiserName	<input type="text" value="RSUIndividualFundraiserName"/>	<input type="checkbox"/>
RSUTeamFundraiserName	<input type="text" value="RSUTeamFundraiserName"/>	<input type="checkbox"/>

Continuous Syncing

- Add/Updates to Participant Registrations at RSU will Sync every minute to your RR Event
- Changes to Participant Records at RR that originated from RSU will sync back to RSU
 - Immediate based on WEB HOOK Event
 - **Adds from RR are Supported!**





That's All Folks

